

BHADRAVATI DIVISION.

Abstract Notification dated 12th March 1939.

The attention of the public is invited to detailed notification, calling for tenders for the construction of sheds for the use of the staff attached to the bamboo supply operations at Umblebyle and Kodihalli, on pages 489-491, Part VI of the *Mysore Gazette*, dated 16th March 1939.

Tenders will be received by the District Forest Officer, Bhadravati up to 4 P.M., on Monday the 3rd April 1939.

M. G. VENKATA RAO,
District Forest Officer.

KADUR FOREST DIVISION.

Abstract Notification, dated 7th March 1939.

The attention of the public is invited to the detailed notification regarding the auction sale of timber at Kadur Depot to be held on 3rd April 1939, published on pages 492 and 493, Part VI of the *Mysore Gazette*, dated 16th March 1939.

Abstract Notification dated 13th March 1939.

The attention of the public is invited to the following detailed notifications regarding the sale of timber in the several Depots and coupes of this Division published on pages 550-552, Part VI of the *Mysore Gazette*, dated 23rd March 1939.

1. Sale of timber in Balebonnur and Sangameswarapet Depots.
2. Sale of timber trees in Basavanakote State Forest Coupes.

Resale Notification, dated the 16th March 1939.

It is hereby notified for general information that the exclusive right of collecting Minor Forest Produce on all Government unoccupied lands, Amrit Mahal Kavals, State Forests, Reserved lands and Plantations in Kadur Taluk from the date of confirmation of the sale to 30th June 1940 will be sold by public auction by the District Forest Officer, Kadur Division, at the risk of the original purchasers as they have failed to pay up the khist amount as per terms of the lease on the 5th April 1938.

For conditions of sale and other particulars, reference is invited to the notification, dated 21st April 1938, published on pages 661 to 664, Part VI of the *Mysore Gazette*, dated 28th April 1938.

Abstract Notification, dated 18th March 1939.

The attention of the public is invited to the detailed notification regarding the sale of Red-Cedar logs in Koppa Range, published on pages 552-553, Part VI of the *Mysore Gazette*, dated 23rd March 1939.

M. A. MUTHANNA,
District Forest Officer.

CHITALDRUG DISTRICT.

Abstract Notification, dated the 23rd March 1939.

The attention of the public is invited to the resale notification, dated 10th March 1939, of the right of collecting Thangadi and Kakke barks for 1937-39, published on page 493, Part VI of the *Mysore Gazette*, dated 16th March 1939.

L. SRINIVASA MURTHY,
District Forest Officer.

ENGINEERING DEPARTMENT

BANGALORE DIVISION.

Notification dated 24th March 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. on 15th April 1939, for constructing a Cricket Stadium for the Central College, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of September 1939.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees nine hundred (Rs. 900) only in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a Cricket Stadium for the Central College, Bangalore, in default of which tender will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Tender must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than the estimated rate will not be accepted.

Tenders for constructing a Cricket Stadium for the Central College, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted
	GROUND FLOOR.		Rs. a. p.		
1	Earthwork excavation for foundation, filling in basement, spreading extra earth and including watering and tamping	C.yds.	0 3 6	170	
2	Granite stone jelly concrete in lime mortar 1 : 2 for foundation laid in 6" layers including well tamping, etc., complete	C.ft.	0 3 3	1,198	
3	Size stone in lime mortar for foundation with bond stones at every 6' in each course, etc., complete (courses to be 7½" to 9" high)	C.ft.	0 4 6	2,418	
4	Size stones in lime mortar for basement including one line dressing to exposed faces and coin dressing at corners with bond stones at 6' apart in each layer (courses to be 8" to 9" high)	C.ft.	0 5 0	578	
5	B. S. stone slabs 6" thick one line dressed on top and bottom, two line dressed on exposed faces laid in lime mortar 1 : 2, etc., complete	Sq. ft.	0 7 0	619	
6	Burnt stone slabs 6" thick one line dressed and laid in lime mortar for sills and lintels	Sq. ft.	0 5 6	881	
7	Burnt bricks in cement mortar (1 : 4) in superstructure in ground floor up to the top level of doors	C.ft.	0 10 0	3,168	
8	Burnt bricks in lime mortar (1 : 2) in superstructure for the remaining height of wall	C.ft.	0 4 6	1,613	
9	Wire cut bricks in cement mortar circular pillars with bond slabs at intervals of 3' high 1' centre and with ornamental base and top as per approved design to be given, etc., complete height 13'	R.ft.	1 12 0	52	
10	Preparing and fixing Mysore T.W. doors with 3" x 4" thick frames, 1½" thick single shutters for lavatories with achme brass fittings, etc., complete	Sq. ft.	1 12 0	98	

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted
			Rs. a. p.		
11	Preparing and fixing T.W. doors (Mysore) with 4"×5" frames 1½" thick shutters, ½" panelled and ¾" glazed with achme brass fittings, etc., complete	Sq. ft.	2 0 0	200	
12	Preparing and fixing Mysore T.W. windows with 4"×5" thick frames, 1½" thick shutters fully glazed with achme brass fittings, etc., complete.	Sq. ft.	2 0 0	140	
13	Preparing and fixing Mysore Teakwood Ventilators 4"×5" thick frames 1½" thick shutters fully glazed with achme brass fittings, etc., complete.	Sq. ft.	1 8 0	40	
14	Preparing and fixing T.W. square ventilators (1½'×1½') of approved design fully glazed frames 4"×5" thick shutters with brass fittings, etc., complete	Sq. ft.	1 6 0	27	
15	R.C.C. chejja to serve as sun shades over windows with 3' projection outside and inside over the full thickness of wall 3" thick at end and 5" towards the wall with necessary reinforcements to be designed and given including plastering top and bottom with white and colour washing etc., complete	Sq. ft.	1 0 0	286	
16	R.C.C. chejja over doors in front with 6' projection outside and inside over the full thickness of wall, thickness of chejja 6" over wall and tapering towards the end to 3" to 4" with necessary reinforcement to be designed and given including plastering top and bottom with white and colour washing, etc.	Sq. ft.	1 8 0	75	
17	Supplying and fixing Tata's tested R.S. Joists including hoisting with fishplates, bolts and nuts and necessary fastenings, etc., complete	Cwts.	14 0 0	51	
18	Roofing with R.C.C. 6" to 7" thick (1:2:4) for a span of 8½' with suitable reinforcements as per design to be given with 4½" to 5½" thick surki concrete on top, two courses of flat tiles including plastering top and bottom ceiling, etc., complete	Sqrs.	75 0 0	19.00	
19	Burnt brick in mortar parapet of modern design 2' high, 1½' width with plastering white and colour washing, etc., complete	R.ft.	1 8 0	248	
20	Chunam plastering	Sqrs.	3 0 0	67.50	
21	Flooring with cement concrete (1:2:4) 1½" thick laid over a bed of lime concrete 3" thick with ½" Red ochre plastering with cut lines if necessary, etc.	Sqrs.	22 0 0	15.05	
22	White washing, two coats	Sqr.	0 4 0	41.54	
23	White washing, one coat and colour washing, two coats	Sqrs.	0 5 0	31.01	
24	Government lac factory green painting, three coats	Sqrs.	5 0 0	10.10	
25	Constructing R.C.C. (1:2:4) cantilevered staircase 4' clear projections treads 4' long and 1' wide thickness of slab 9" at rear of tread and 12" at front of tread with bearing complete over the wall with ⅝" main reinforcements 6" c to c and with bottom reinforcements running longitudinally along the flight ½" and bars 15" c to c and as per design to be given, etc., complete with suitable vertical posts to be designed as sloping support stringers as per design, etc., complete.	S.ft.	3 0 0	166	
26	Providing T.W. handrailing with W.I. railing as per approved design complete 2½' high including revets, etc., complete	R.ft.	2 0 0	21	
27	Boxing girders 15"×6" in brick in cement mortar including plastering with white and colour washing, etc. complete	R.ft.	0 10 0	126	

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted
FIRST FLOOR.			Rs. a. p.		
1	Dismantling burnt brick in mortar parapet wall	C.ft.	0 1 0	35	
2	Burnt bricks in lime mortar for superstructure	"	0 5 0	412	
3	Constructing wire cut brick square pillars in cement mortar with bond slabs at every 3' height with ornamental base and capital including plastering and colour washing, etc., complete height of pillar 7½' of 1½' × 1½'	R.ft.	1 12 0	38	
4	Supplying and fixing Tata's tested rolled steel girders including hoisting with fish plates, bolts and nuts and necessary fastening, etc., complete	Cwts.	14 0 0	42.30	
5	(a) Boxing girders (15' × 6") with bricks in cement mortar including plastering and white and colour washing, etc., complete	R.ft.	0 10 0	75	
	(b) Do of section 6" × 3"	"	0 8 0	42	
6	Casting R.C.C. lintels for a clear span of 7' with suitable reinforcement, etc., as per approved design as approved arrangement of bars (lintel 6" depth)	Sq. ft.	0 12 0	78	
7	R.C.C. chejja to serve as sun shades with 3' projection cast along with the lintels and with necessary reinforcements of the approved design and worked properly inside the lintels and with necessary reinforcements of the approved design and worked properly inside the lintels, thickness of chejja 5" to 6" thick on the wall and sloping 3½ to 4" at end including plastering top and bottom, etc., with white and colour washing, etc.	Sq. ft.	1 0 0	409	
8	Roofing with R.C.C. 5½" to 6" thick with necessary reinforcements to be designed and given, 4" of surki concrete, two courses of flat tiles and with plastering top and bottom ceiling, etc., complete	Sqr.	80 0 0	8.76	
9	Preparing and fixing T.W. doors with 4" × 5" frames and 1½" thick shutters ½ panelled and ¾ glazed with achme brass fittings, etc., complete	Sq. ft.	1 12 0	67	
10	Preparing and fixing T.W. windows with 4" × 5" thick frames and 1½" thick fully glazed shutters with rectangular glazed fan lights on top with achme brass fittings, etc., complete	"	2 0 0	173	
11	Providing T.W. handrailing with W.I. railing as per approved design with necessary bolts and nuts and fastenings, etc., complete	R.ft.	2 0 0	45	
12	Construction of parapet wall of modern design (1½' × ¾') in brick in mortar including plastering white and colour washing, etc.	R.ft.	1 12 0	140	
13	Chunnam plastering	"	3 0 0	14.52	
14	White washing, two coats, inside and one coat of white wash and two coats of colour wash outside	Sqrs.	0 6 0	14.52	
15	Lac factory green painting, three coats	"		6.00	
16	Providing and fixing down water pipes of the approved design	L. S.			
17	Dismantling compound wall fixing two gates, one for in and one for out of the approved design, etc., and deviation of road, etc.	L. S.			
18	Levelling and forming site	"			
19	Temporary supervision charges	"			
20	Carving letters as "STADIUM"	"			
21	Contingencies	"			
CONSTRUCTING R. C. GALLERY IN FRONT OF MAIN BUILDING.					
1	Earthwork excavation for foundation of gallery (pillars, etc)	C.yd.	0 3 3	23	

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted
			Rs. a. p.		
2	Casting in place R.C.C. stepped pillars of height varying from $1\frac{1}{2}'$ above ground to $4\frac{1}{2}'$ above ground with $4'$ tread and rise $1\frac{1}{2}'$ with suitable foundation for a depth of $2'$ with vertical reinforcements $\frac{3}{8}"$ and stirrups and reinforcements carried to foundation, etc. as per design to be given, etc., complete	C.ft.	1 12 0	819	
3	Casting R.C.C. slabs (1:2:4) for a span of about $8'$ between stopped with suitable reinforcements as per design to be given for treads and suitable vertical reinforcements for rises as per design to be given and arrangement of rods of approved design, etc., complete including cement plastering treads and steps and rises of steps	Sq. ft.	1 8 0	1,710	
4	Bricks in cement mortar partition wall for end pillars for providing doors $4\frac{1}{2}"$ thick	C.ft.	0 6 0	13	
5	T.W. doors $3" \times 4"$ frames, $1\frac{1}{2}"$ thick shutters lingle with brass fittings, etc., complete	Sq. ft.	1 10 0	60	
6	B.S. slabs to serve as bed slabs for R.C. slab to rest with $6"$ projection	"	0 6 0	95	
7	Chunnam plastering, brick partition wall	Sqr.	3 0 0	1.32	
8	White and colour washing	"	0 5 0	2.00	
9	Providing R.C.C. stairs $6"$ rise $1'$ tread 14 rises and 13 treads as per approved design with reinforcements as per design, etc., complete with cement plastering on top and bottom faces and sides, etc., complete	Sq. ft.	2 8 0	217	
10	Providing R.C.C. pillars to serve as struts for staircase with suitable reinforcements as per approved design and foundations carried to a depth of $2'$ below ground level and reinforcement as per approved design $6" \times 6"$	C.ft.	1 8 0	48	
11	Providing hand railing of wrought iron to stairs	R.ft.	2 0 0	46	
12	Providing roofing over stairs in top of ground floor	Sqr.	75 0 0	66	
13	Lac factory green painting, three coats	"	5 0 0	1.20	

N.B.—For all R.C.C. work Chamundi Brand Cement alone should be used.

B. R. GABUDACHAR,
Executive Engineer.

BANGALORE DIVISION.

Notification dated 21st March 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 8th April 1939 for constructing a laboratory to the Silk Farm near Channapatna.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for constructing a Laboratory Block to the Silk Farm near Channapatna." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the Treasury the sum of Rs. 300 being the deposit amount under "17 (a) P. W. Deposits." Promissory Notes or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less as earnest money. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 10th April 1939 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931).